

RS/LB/RL

RATCHET, REVOLUTION AND DIRECT DRIVE COUNTER

RATCHET COUNTER

Adds 1 count for each 40 - 45° actuation of lever.

Count Speed: RS-204, RSL-204 Series : 1,000 counts / minute RS-5 (II), RS-6 (I) : 600 counts / minute
 RS-4 (I), RS-5 (I), RS-303-5 (I) : 300 counts / minute

REVOLUTION COUNTER

Adds 1 count for every complete revolution of the shaft.





Count Speed: LB-4 (I), LB-5 (I) : 4,000 revolutions / minute

DIRECT DRIVE COUNTER

Adds 10 counts for every complete revolution (1 count / 1/10 shaft revolution) of the shaft.

Count Speed: RL-4 (I), RL-5 (I) : 400 revolutions / minute RL-219-5 (I) : 50 revolutions / minute

COUNT DIRECTION / SHAFT POSITION

			
RIGHT SHAFT TOP GOING	RIGHT SHAFT TOP COMING	LEFT SHAFT TOP GOING	LEFT SHAFT TOP COMING



MODEL SELECTION

TYPE	DIGITS	FIGURES (mm)	WEIGHT(g)	TYPE (I)	TYPE (II)	TYPE (III)	TYPE (IV)
RATCHET	5	4.8 x 2.4	60	RS-204-5 (I)	RS-204-5 (II)	RSL-204-5 (III)	RSL-204-5 (IV)
	4	4.4 x 2.8	50	RS-4 (I)	—	—	—
	5		(I) 50 / (II) 105	RS-5 (I)	RS-5 (II)	—	—
	6	6.0 x 4.5	115	Discontinued RS-6 (I)	—	—	—
	5		120	RS-303-5 (I)	—	—	—
REVOLUTION	4	4.4 x 2.8	90	Discontinued LB-4 (I)	—	—	—
	5		100	Discontinued LB-5 (I)	—	—	—
DIRECT DRIVE	4	4.4 x 2.8	90	RL-4 (I)	—	—	—
	5		100	RL-5 (I)	—	—	—
	5	6.0 x 4.5	110	RL-219-5 (I)	—	—	—

Operating Temperature	-5°C - +40°C	Operating Humidity	85%RH maximum	Remarks	Non-Freezing, Non-Condensing
-----------------------	--------------	--------------------	---------------	---------	------------------------------



DIMENSIONS

RS-204-5 (I)
 RS-204-5 (II)





DIMENSIONS



RSL-204-5 (III)
RSL-204-5 (IV)





RS-4 (I)



RS-5 (I)





RS-5 (II)





Discontinued

RS-6 (I)





RS-303-5 (I)





DIMENSIONS



Discontinued
LB-4 (I)





Discontinued
LB-5 (I)



RL-4 (I)



RL-5 (I)



RL-219-5 (I)

