


Tachometer for smartphone exclusive use **SM-T100**

LINE SEIKI



- Hand-held Non-Contact Tachometer for smartphone exclusive use
It measures rotational speed of up to 60,000.0 rpm.
- Measured values can be stored in internal memory in Android device.
- Portable and very handy, no special skills required to use.
- “Smart Tacho” App is downloadable for free.




“Smart Tacho”
Download Link

■ Specifications


Measuring Range	60.0 - 60000.0 r/min, 1.00 - 1000.00 r/s (During overrange: 0.0 r/min 0.0 r/s)
Measurement Unit	r/min, r/s
Resolution	0.1 r/min, 0.01 r/s
Accuracy	±0.10% ±1 digit r/min, r/s
Sampling Time	1.0 - 2.0 seconds
Display on the app	Measuring Value: 6 digits On Target: (🎯) Unit Selection: RPM/RPS
Measuring Method & Distance	Non-contact 50 to 300 mm with the Reflective Tape Start/Stop Measurement, Switch Unit,
Operation on the app	Save Measuring Values, Tapping Tone On/Off, Current Location On/Off
Power Supply	From connected Android device
Operating Temp.	5 to 40°C (Non-freezing)
Storage Temp.	-10 to +60°C (Non-freezing)
Dimensions	Main Unit: 100 (L) x 28 (W) x 21.5 (D) mm, Cable length: approx. 1m
Weight	approx. 55 g (incl. OTG Cable)
Accessories	Manual, Reflective Tape, OTG Cable
Compliance	RoHS
Applicable USB	Micro B Type (via OTG Cable)

■ Dimensions [mm]



SM-T100

Light Transmitting/Receiving Unit



OTG Cable : Micro USB B Type

This catalog was last revised Apr. 8, 2026.

*Subject to change without prior notice.

All Rights Reserved, Copyright © 2026, LINE SEIKI CO., LTD.



LINE SEIKI CO., LTD.

37-7 Chuo-cho, 2-Chome
Meguro-ku, Tokyo 152-0001 Japan
Please visit our company website for contact details
webtrade@line.co.jp
<https://www.lineiseiki.com>